



All correspondence should be addressed to the Director General

In reply, please quote

ZAMBIA MEDICINES REGULATORY AUTHORITY

3rd September, 2015

Pharmanova Zambia Limited,
P O. Box 31458,
Plot 7329, Moobola Road
Lusaka,
Zambia.

Dear Sir/Madam,

RE: ANALYTICAL TESTS CARRIED OUT ON NOVAZINC TABLETS (ZINC SULPHATE DISPERSIBLE TABLETS) MANUFACTURED BY PHARMANOVA (Z) LTD, ZAMBIA

Reference is made to the above subject matter.

We wish to advise that the National Drug Quality Control Laboratory concluded its analytical tests on Novazinc Tablets of which the results obtained from the sample analysed satisfied the required specifications.

No.	Name of Product	Application No.
1.	Novazinc Tablets (Zinc Sulphate Monohydrate USP 54.9mg eq. to elemental Zinc 20mg)	9882/14

We also wish to advise that the evaluation of your application to place this product on the market is still on going. In the meantime you may go ahead to supply batch number 1150715 that was tested by the National Drug Quality Control Laboratory while awaiting finalisation of the review of your application. Please find attached a copy of the certificate of analysis for batch no. 1150715.

Should you have any questions, please do not hesitate to contact our Secretariat.

Yours faithfully,
for/Zambia Medicines Regulatory Authority


E Mwape (Ms)
DIRECTOR GENERAL